

LANIER

SP C231SF/SP C232SF



DESKTOP COLOR LASER MFP

Essential Features, Maximum Value

*Multitasking made easy: Color laser technology
built especially for small offices and workgroups*



Multitasking Made Easy

What will you print, copy, scan or fax today? The LANIER® SP C231SF/SP C232SF Desktop Color Laser Multifunction Printer (MFP) allows you to be expressive with your communications while using a single solution featuring All-In-One (AIO) print cartridge technology to do it all. Add rich, vivid colors to a wide range of business documents at an affordable price that will make your competitors green with envy and won't put your budget in the red. It's multitasking made easy!

Full-Featured Multifunctionality

The network-ready Lanier SP C231SF/SP C232SF is packed with features and functions to handle every job with maximum productivity and superior image quality.

- Copy and print at equal speeds of up to 21 pages-per-minute for both full-color and black & white documents to get more done in less time.
- Print eye-catching color pages and crisp text at resolutions up to 2400 x 600 dpi.
- Capture and edit full-color images for use in other documents, transform hardcopy originals into digital files for archival or distribution or convert scanned data to editable text with built-in TWAIN/WIA scanning.
- Stay connected to customers, suppliers and business partners outside the network with Super G3 faxing.
- Control page volumes and system access with a User Restriction feature, and keep confidential information secure using Locked Print.

Maximum Efficiency at Minimal Cost

Lanier has equipped the SP C231SF/SP C232SF Color Laser Desktop MFP with a host of features designed to minimize total cost of ownership and maintenance tasks.

- Improve workflow with the 35-sheet Automatic Document Feeder. It quickly scans originals as large as 8.5" x 14" to speed multi-page copying, scanning and faxing.
- Reduce paper use, filing space and postage costs with standard automatic duplex printing.
- Combine multiple images onto a single sheet with ID Card and N-in-1 copy mode features to save paper and time.



*The Lanier SP C231SF/
SP C232SF delivers essential
features with maximum value.*

SP C231SF/SP C232SF



Easily access all system modes and features using the intuitive control panel.

- Leverage the power of your network to speed communications with a full suite of cost-free Scan-to document distribution capabilities. Share information instantly with Scan-to-Email, post files for local sharing with Scan-to-Folder, enable remote team-based project collaboration with Scan-to-FTP, and edit scanned documents with Scan-to-OCR.
- Stop printing cover sheets and hardcopy originals before faxing. Use the PC Fax feature to send documents right from a Windows computer for paperless faxing!
- Make color affordable for every job and operate more efficiently with high-yield All-In-One print cartridges for less interruption and lower per-page costs.
- Choose from two controller types to match your workflow requirements to the most affordable solution.

Big Design for Small Spaces

The Lanier SP C231SF/SP C232SF is a four-in-one solution that occupies less than 20 square inches of desk space. An intuitive control panel, user-replaceable AIO cartridge technology, and fast warm-up and first print/copy times ensure these MFPs will always be ready when you are, and always within arms reach.

- Boost paper supply to 751 sheets without increasing footprint.
- Replace the mess-free All-In-One print cartridges in seconds. The top-loading design makes maintenance a snap.
- Eliminate dialing errors and quickly send faxes to frequent recipients with 20 One-Touch keys.
- Enjoy highly reliable media feeding with the short, soft-curved paper path, while the total front access design enables fast clearance for optimal performance.
- Streamline device and document management tasks from connected PCs using the bundled Lanier Web Image Monitor utility and Presto! PageManager software.



Doctors' offices, labs, front desks, rental agencies, schools, and many others will appreciate the time- and paper-saving ID Card copy mode.



All-In-One print cartridges make color affordable and install quickly for maximum uptime and do-it-yourself convenience.

The Total Green Office Solution



Lanier continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

SPECIFICATIONS

ENGINE SPECIFICATIONS

Configuration:	Desktop
Technology:	
Reading Element:	Flatbed with CCD array image sensor
Print Processing:	Laser beam scanning & electro-photographic printing with mono-component toner development 4-drum tandem method
Print Resolution:	600 x 600 dpi (Speed mode) 1200 x 600 dpi equivalent (Standard Mode) 2400 x 600 dpi equivalent (Fine Mode) 21 pages-per-minute in B&W and Full-Color
Output Speed (Letter):	
First Print Speed:	14 seconds or less
Warm-Up Time:	48 seconds or less
Copy Resolution:	Max 600 x 600 dpi
Original Type:	
Platen Glass:	Sheets/Books/3D objects Maximum Scanning Size: 8.5" x 11.7"
Document Feeder:	Standard 35-sheet Automatic Document Feeder Paper Size: (Width: 5.5" – 8.5", Length: 5.5" – 14") Paper Weight: 14 – 28 lb. Bond (52 – 105 g/m ²) 250-sheet Tray, 1-sheet Bypass Tray
Standard Paper Capacity:	
Output Paper Capacity:	500-sheet Paper Feed Unit
Maximum Input Paper Capacity:	751 sheets
Output Capacity:	150 sheets (face down)
Automatic Duplex:	Standard
Paper Sizes:	Standard Tray and Bypass Tray: Letter (8.5" x 11"), A4 (8.3" x 11.7"), EXE (7.25" x 10.5"), B5 (6.9" x 9.8"), Legal (8.5" x 14"), Custom (Width: 3.6" – 8.6", Length: 5.9" – 14.24") Optional Paper Feed Unit: Letter (8.5" x 11"), A4 (8.3" x 11.7")
Paper Weight:	Standard Tray and Bypass Tray: 16 – 40 lb. Bond / 83 lb. Index (60 – 160g/m ²) Optional Paper Feed Unit: 16 – 28 lb. Bond (60 – 105g/m ²)
Acceptable Paper Types:	Standard Tray and Bypass Tray: Plain Paper, Recycle Paper, Envelopes, Glossy Paper, Thick Paper & Labels Optional Paper Feed Unit: Plain Paper, Recycle Paper
Dimensions (WxDxH):	16.54" x 19.41" x 18.74" (420 x 493 x 476 mm)
Weight:	66.14 lb. (30 kg or less)
Power Requirements:	120V, 60Hz
Maximum Power Consumption:	1,300W
Energy Saver Mode:	SP C231SF: 20W, SP C232SF: 25W
Safety Regulations:	UL60950-1 First Edition, CSA-22.2 No. 60950-1-03 First Edition, Energy Star: Color Multifunction Printer – Tier 1

PRINT CONTROLLER SPECIFICATIONS

CPU:	400MHz
Printer Languages:	SP C231SF: DDST (GDI) SP C232SF: PCL 5c/6, PostScript 3 emulation
Fonts:	SP C231SF: None (Host-based) SP C232SF: 80 fonts

Memory (RAM):	SP C231SF: 128 MB RAM standard/maximum SP C232SF: 256 MB RAM standard/512 MB RAM maximum (shared)*
Standard Interfaces:	USB 2.0, 10/100Base-TX Ethernet
Optional Interface*:	IEEE 802.11b/g Wireless
Network Protocols:	TCP/IP, IPP
Operating Systems:	Windows 2000/XP/Server 2003/Vista/Server 2008 Mac OS X v.10.2.8 – 10.5 Citrix MetaFrame UNIX (using Lanier UNIX filter) DDST: Windows 2000/XP/Vista/Server 2003/Server 2008 Mac OS X v.10.2.8 – 10.5 PCL 5c/6: Windows 2000/XP/Vista/Server 2003/Server 2008 PS3 emulation: Windows 2000/XP/Vista/Server 2003/Server 2008 Mac OS X v.10.2.8 – 10.5
Drivers:	Web Image Monitor Presto! PageManager
Software Utilities:	Web Image Monitor Presto! PageManager

*128 MB RAM is devoted to PDLs and other functions.
*Please note the Wireless Option and 10/100Base-TX cannot operate simultaneously.

CONTROLLER OPTIONS

256 MB RAM Memory Unit Type F (SP C232SF only)
Wireless Adaptor SX-2500CG

COPIER SPECIFICATIONS

First Copy Speed:	30 seconds (for both B&W and Full-Color)
Single Page Doc/ Multiple Copies:	21 copies-per-minute in B&W and Full-Color
Multi-Page Doc/ Single Copy:	20 copies-per-minute in B&W 10 copies-per-minute in Full-Color
Quantity Indicator:	1 – 99
Zoom:	25% – 400% in 1% increments
Reduction Ratios:	50%, 65%, 78%, 93%
Enlargement Ratios:	129%, 155%, 200%, 400%
Copier Features:	Image Density Adjustment Copy Mode (Text/Photo/Mixed) Color Density Adjustment Combine Copy (2-in-1, 4-in-1, ADF only) Duplex Copy ID Card Copy Memory Copy Electronic Sorting (collation, ADF only)

SCANNER SPECIFICATIONS

Scanning Modes:	Full-Color and 256-level grayscale scanning
Scanning Resolution:	Scanner: Up to 1200 x 1200 dpi (optical) Driver: Up to 19200 x 19200 dpi (interpolated)
Scanning Speed:	B&W: Less than 5 seconds-per-page (LTR @ 300 dpi) Full-Color: Less than 10 seconds-per-page
Scan Area:	Via Platen: Up to 8.5" x 11.7" (216 – 297 mm) Via ADF: Up to 8.5" x 14" (216 – 356 mm)
Utilities & Drivers:	TWAIN Driver, Presto! PageManager
Protocol Support:	TCP/IP, SMB
File Formats Supported:	TIFF, PDF, JPEG
Scanning Features:	TWAIN/WIA Scan-to-Email Scan-to-Folder Scan-to-FTP Scan-to-OCR

FACSIMILE SPECIFICATIONS

Circuit:	PSTN, PABX
Compatibility:	ITU-T Group 3
Resolution:	Standard Mode: 200 x 100 dpi Fine Mode: 200 x 200 dpi
Compression Method:	MH/MR/MMR
Scanning Speed:	Less than 5 seconds-per-page
Modem Speed:	33.6 Kbps with automatic fallback
Transmission Speed*:	G3: 3 seconds-per-page
Memory:	Up to 100 pages
Memory Backup:	1 hour
One-Touch/Speed Dials:	20 One-Touch/50 Speed Dials
Facsimile Features:	Auto Redial (after 5 minutes) Auto Answer (1 – 5 rings) Auto/Manual/Substitute Reception Answering Machine Interface Error Correction Mode Image Reduction Memory/Immediate Transmission PC Fax (Windows only) Serial Broadcasting (100 locations) Smoothing

*Based on ITU-T Test Chart #1 in Standard mode.

HARDWARE ACCESSORIES

Paper Feed Unit Type TK1010:	Paper Size: Letter (8.5" x 11"), A4 (8.3" x 11.7") Capacity: 500 sheets
-------------------------------------	--

CONSUMABLES

Black All-In-One Cartridge SP C310A:	2,500 pages*
Cyan All-In-One Cartridge SP C310A:	2,500 pages*
Magenta All-In-One Cartridge SP C310A:	2,500 pages*
Yellow All-In-One Cartridge SP C310A:	2,500 pages*
Black All-In-One Cartridge SP C310HA:	6,500 pages*
Cyan All-In-One Cartridge SP C310HA:	6,000 pages*
Magenta All-In-One Cartridge SP C310HA:	6,000 pages*
Yellow All-In-One Cartridge SP C310HA:	6,000 pages*
Waste Toner Bottle Type 220:	25,000 pages

*Declared yield value in accordance with ISO/IEC 19798; actual yields vary based on images printed and other factors.

The Lanier SP C231SF and SP C232SF ship with starter All-In-One print cartridges that yield 1,000 pages. All other consumables ship at full yield. For maximum performance and yield, we recommend using genuine Lanier parts and supplies.

Specifications subject to change without notice.

WARRANTY

The Lanier SP C231SF/SP C232SF is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to the warranty document shipped with the product for more details.