

**LANIER**

# LP150dn



B / W LASER PRINTER

*Productive performance for centralized printing*

*This dependable printer offers superior speed, outstanding black & white quality and expandable options suitable for network-ready and host printing applications in virtually any industry*



# Engineered for Efficient, Reliable Output

Look to the Lanier® LP150dn laser printer for a truly powerful combination of speed, versatility and reliability. This durable, network-ready system enables fast-paced organizations to complete a variety of network and host printing jobs quickly, meet demanding deadlines, and keep downtime to an absolute minimum. Designed for high-quality black & white printing across a wide range of applications, the expandable yet cost-effective LP150dn also offers professional finishing, ample paper capacity and built-in security features for confidential documents.



*The Lanier LP150dn offers fast, flexible printing — with optional inline finishing — for documents up to 11" x 17" in size.*

## High Productivity and Versatility

Large and mid-size workgroups in finance, healthcare, education and many other industries can boost productivity with the fast, flexible Lanier LP150dn.

- Print black & white documents with exceptional speed at 50 pages-per-minute.
- Ensure crisp, clean results on every page with image quality up to 600 x 600 dpi.
- Create spreadsheets, plans, schematics and other large-format documents with support for 11" x 17" printing.
- Reduce paper costs and document storage requirements using standard duplexing.
- Enhance job processing and keep the print queue moving. The Lanier LP150dn includes a high-powered 533 MHz controller and 256 MB RAM.
- Expect seamless peer-to-peer and network printing with standard USB 2.0 and Ethernet. For even more flexibility, select optional Gigabit Ethernet and/or wireless printing support.

## Scalable, Expandable Design

Choose the precise set of features to keep pace with even the most print-intensive workflows.

- Handle conventional print volumes with ease. Start with two standard 550-Sheet Paper Trays and the standard 100-Sheet Bypass Tray (which also accepts envelopes) for a total paper capacity of 1,200 sheets.
- Increase paper capacity even more—and minimize time spent reloading trays—with either two extra 550-Sheet Paper Trays or a 2,000-Sheet Large Capacity Tray (LCT). You can also add a 1,200-Sheet LCT for a total paper capacity of 4,400 sheets.
- Finish printed documents for a professional appearance. Select the 1,000-Sheet Finisher or the 3,000-Sheet Finisher for sorting, stapling and hole-punching.

## Efficient, Secure Workflow

Maximize efficiency and document security when you equip the Lanier LP150dn with innovative IPDS host printing, security and management tools.

- Transform your printer into a cost-effective OS/400 host print center. With the IPDS option, the Lanier LP150dn can print directly from IPDS databases without a print server or other expensive hardware.
- Prevent data theft even if the Lanier LP150dn's Hard Disk Drive (HDD) is stolen. The HDD encryption option makes data stored on the drive impossible to decipher.
- Perform printer management tasks online to save time with Web Image Monitor™. This utility shows detailed printer information, network settings, machine usage information and supply status through an intuitive Web interface.



Professional finishing can be achieved by adding the optional 1,000-Sheet or 3,000-Sheet Finishers.



With two professional finishing options, document output with automated stapling and hole-punching can be created for your in-house printing needs.

## Your Environmental Partner



Lanier continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Quick Start-Up (QSU) Technology
- Power-Saving Sleep Mode
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant
- Duplex and Combine Copy Modes

**LANIER****LP150dn****SPECIFICATIONS****ENGINE SPECIFICATIONS**

<b>Configuration:</b>	Desktop
<b>Technology:</b>	Laser beam scanning and electro-photographic printing with dual-component toner development
<b>Resolution:</b>	300 x 300 dpi: PCL5e, PostScript3, IPDS (Opt.) 600 x 600 dpi: PCL5e, PCL6, PostScript3, PDF, RPCS, IPDS (Opt.)
<b>Printing Speed:</b>	50 pages-per-minute
<b>Duplex Speed:</b>	50 pages-per-minute
<b>First Print Speed:</b>	3.5 seconds
<b>Dimensions (WxDxH):</b>	Main Unit: 26.4" x 26.7" x 25.2" (670 x 677 x 641mm) Main Unit + Finisher + LCT: 41.9" x 26.7" x 25.2" (1065 x 677 x 641mm)
<b>Weight:</b>	160.9 lbs. (73 kg)
<b>Warm-Up Time:</b>	25 seconds or less
<b>Power Requirements:</b>	120V, 60Hz, 15A
<b>Maximum Power Consumption:</b>	1,370W or less
<b>Energy Saver Mode:</b>	7W or less
<b>Standard Paper Capacity:</b>	2 x 550-Sheet Paper Trays, 100-Sheet Bypass Tray
<b>Optional Paper Capacity:</b>	550 sheets x 2 trays OR 2,000-Sheet Large Capacity Tray (LCT); 1,200-Sheet Large Capacity Tray (LCT)
<b>Maximum Paper Capacity:</b>	4,400 sheets
<b>Paper Sizes:</b>	<b>First Paper Tray:</b> 8.5" x 11" <b>Second Paper Tray:</b> 7.25" x 10.5" - 11" x 17" <b>Bypass Tray:</b> Width: 3.5" - 12", Length: 5.8" - 18" (12" x 18" max.) Up to 12" x 49.6" using RPCS Driver for banner printing <b>Optional Paper Feed Unit:</b> 5.5" x 8.5" to 11" x 17" <b>Optional Large Capacity Trays:</b> 8.5" x 11" <b>Duplex Sizes:</b> 8.5" x 11" to 11" x 17"
<b>Paper Weight:</b>	<b>Standard Trays:</b> 16 - 57 lb. Bond / 120 lb. Index* <b>Bypass Tray:</b> 16 - 68 lb. Bond / 140 lb. Index <b>Optional Paper Feed Unit and LCTs:</b> 16 - 45 lb. Bond / 90 lb. Index
<b>Standard Output Capacity:</b>	500 sheets (Face down)
<b>Optional Output Capacity:</b>	3,000-Sheet Finisher, 1,000-Sheet Finisher
<b>Automatic Duplexing:</b>	Standard
<b>Duplex Paper Weight:</b>	16 - 45 lb. Bond / 90 lb. Index (60 to 169 g/m <sup>2</sup> )

\*Standard Paper Trays support specific types of paper from 45 - 47 lb. (170 - 216 g/m<sup>2</sup>)

**CONTROLLER SPECIFICATIONS**

<b>CPU:</b>	RM7035C-533L @ 533 MHz
<b>Printer Languages:</b>	PCL5e/6, Lanier RPCS, Adobe® PostScript® 3™, PDF Direct Print, Optional IPDS
<b>Memory:</b>	256 MB RAM standard / 512 MB RAM maximum Approx. 40GB (optional)
<b>HDD:</b>	
<b>Standard Interfaces:</b>	USB 2.0, Ethernet 10/100Base-TX
<b>Optional Interfaces:</b>	IEEE 1284, IEEE 802.11a/g, Gigabit Ethernet
<b>Network Protocols:</b>	TCP/IP, IPX/SPX, EtherTalk, IPP, RHPP
<b>Standard Print Utilities:</b>	SmartDeviceMonitor for Admin/Client, Printer Utility, Web SmartDeviceMonitor, Web Image Monitor, Print Utility for Mac, DeskTopBinder, DeskTopBinder Lite, Font Manager, DeskTopBinder Professional (optional)
<b>Operating Systems:</b>	Windows 2000/Me/XP/Server 2003/Vista; Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6, 6.5; Unix (using Lanier UNIX filter); Mac OS 8.6 - 9.2x, OS X 10.1 or later*

\*USB print is supported for Mac OS X v. 10.3.3 or later. Plug-in function for Sample Print, Locked Print and User Code are supported for 10.2 or later.

**MEMORY OPTIONS**

<b>Memory Unit Type G - 128 MB RAM</b>
<b>Memory Unit Type G - 256 MB RAM</b>

**CONTROLLER OPTIONS**

<b>Hard Disk Drive Type 5000</b>
<b>IEEE 802.11a/g Interface Unit Type J</b>
<b>Gigabit Ethernet Board Type A</b>
<b>IEEE 1284 Interface Board Type A</b>
<b>DataOverwriteSecurity Unit Type J</b>
<b>IPDS Unit Type 5100*</b>
<b>HDD Encryption Unit Type B</b>
<b>Data Storage Card Type A</b>
<b>VM Card Type G</b>

\*The IPDS Print Option will be available June 2008.

**HARDWARE OPTIONS**

<b>Paper Feed Unit Type PB3040</b>	
<b>Paper Size:</b>	5.5" x 8.5" - 11" x 17"/A5 - A3
<b>Paper Capacity:</b>	550 sheets x 2 trays
<b>Acceptable Paper Weight:</b>	16 - 45 lb. Bond / 90 lb. Index (60 - 169g/m <sup>2</sup> )
<b>2,000-Sheet Large Capacity Tray Type PB3050</b>	
<b>Paper Size:</b>	8.5" x 11"/A4
<b>Paper Capacity:</b>	2,000 sheets
<b>Acceptable Paper Weight:</b>	16 - 45 lb. Bond / 90 lb. Index (60 - 169g/m <sup>2</sup> )
<b>1,200-Sheet Large Capacity Tray Type RT3000</b>	
<b>Paper Size:</b>	8.5" x 11"/A4
<b>Paper Capacity:</b>	1,200 sheets
<b>Acceptable Paper Weight:</b>	16 - 45 lb. Bond / 90 lb. Index (60 - 169g/m <sup>2</sup> )

**1,000-Sheet Finisher\* Type SR790**

<b>Paper Size:</b>	5.5" x 8.5" - 11" x 17"/A5 - A3
<b>Paper Weight:</b>	14 to 68 lb. Bond / 140 lb. Index (52 to 260g/m <sup>2</sup> ) (Proof Tray) 14 to 43 lb. Bond / 90 lb. Index (52 to 163g/m <sup>2</sup> ) (Shift Tray)
<b>Stack Capacity:</b>	<b>Proof Tray:</b> 250 sheets (8.5" x 11" or smaller) <b>Shift Tray:</b> 1,000 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger)
<b>Staple Capacity:</b>	1 staple/2 positions; 2 staples/1 position
<b>Staple Position:</b>	1 staple/2 positions; 2 staples/1 position
<b>Dimensions:</b>	10.7" (W) x 20.5" (D) x 31.2" (H)

\*Requires Bridge Unit (BU3030). Must use with 1,000-Sheet Finisher or 3,000-Sheet Finisher.

**3,000-Sheet Finisher\* Type SR3030**

<b>Paper Size:</b>	5.5" x 8.5" - 11" x 17"
<b>Paper Weight:</b>	14 to 43 lb. Bond / 90 lb. Index (52 to 163g/m <sup>2</sup> ) (Proof Tray) 14 to 68 lb. Bond / 140 lb. Index (52 to 260g/m <sup>2</sup> ) (Shift Tray)
<b>Stack Capacity:</b>	<b>Proof Tray:</b> 3,000 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) <b>Shift Tray:</b> 3,000 sheets (8.5" x 11") LEF 1,500 sheets (8.5" x 11" - 11" x 17") SEF
<b>Staple Capacity:</b>	50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger)
<b>Staple Position:</b>	1 staple/3 positions; 2 staples/1 position
<b>Dimensions:</b>	25.9" (W) x 24.1" (D) x 37.8" (H)

\*Requires Bridge Unit (BU3030). Must use with 1,000-Sheet Finisher or 3,000-Sheet Finisher.

**Hole Punch Unit for SR3030 Type 3260\***

<b>Hole Positions:</b>	2 or 3 holes, switchable
<b>Paper Size:</b>	5.5" x 8.5" to 11" x 17" 2 hole / 3 hole: 8.5" x 11" LEF to 11" x 17"
<b>Paper Weight:</b>	14 - 43 lb. Bond / 90 lb. Index (52 - 163g/m <sup>2</sup> )

\*Compatible only with SR3030 Finisher; installs internally.

**CONSUMABLES\***

<b>Black Toner Type SP 8200A:</b>	(36,000 page yield @ 5% coverage*)
<b>Printer Maintenance Kit:</b>	Type SP 8200 A (Recommended at 160,000 pages)
<b>Printer Maintenance Kit:</b>	Type SP 8200 B (Recommended at 160,000 pages)
<b>Staple Type K for SR790 and SR3030 Finishers</b>	

\*Yields are approximate. For maximum performance and yield, we recommend using genuine Lanier parts and supplies.

[www.lanier.com](http://www.lanier.com)

Lanier Five Dedrick Place, West Caldwell, NJ 07006  
©2008 Lanier is a registered trademark of Ricoh Americas Corporation. All rights reserved. Windows® and Windows® 95/98/Me/NT4.0/2000/XP are registered trademarks of Microsoft Corporation. Macintosh®, Mac® OS and AppleTalk® are registered trademarks of Apple Computer, Inc. Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard Company. RPCS™ is a trademark of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.

Printed in U.S.A. on recycled paper.

